EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals
L43	444	(310/335).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF
L44	715	(310/330).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF
L45	1493	(310/334).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF
L46	638	(310/324).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF
L47	2426	(310/311).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF
L48	569	(310/326).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF
L49	607	(310/329).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF
L50	2551	(310/328).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF

L51	276	(310/327).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF
L52	1363	(310/309).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF
L54	492	(310/337).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF
L55	1498	(600/459).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF
L56	302	(73/642).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF
L59	531	(310/322).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF
L60	322	(310/325).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF

L29	28	I2 and backing	US-PGPUB	OR	ON
L30	4	I3 and backing	US-PGPUB	OR	ON
L31	0	I1 and I4 and array	US-PGPUB	OR	ON
L33	159	Micromachined near sensors	US-PGPUB	OR	ON
L34	101	micromachined near transducers	US-PGPUB	OR	ON

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals
L1	101	micromachined near transducer	US-PGPUB	OR	ON
L2	136	micromachined same ultrasonic near transducer	US-PGPUB	OR	ON
L3	159	micromachined near sensors	US-PGPUB	OR	ON
L4	11	micromachined near sensors and curved	US-PGPUB	OR	ON
L5	11	micromachined near sensors and curved(probe,spine)	US-PGPUB	OR	ON
L6	33	l1 and capacitive	US-PGPUB	OR	ON
L7	111	l2 and capacitive	US-PGPUB	OR	ON
L8	64	l3 and capacitive	US-PGPUB	OR	ON
L9	7	l5 and capacitive	US-PGPUB	OR	ON
L10	1	l5 and l2 and l3 and l4 and l5 and piezoelectric	US-PGPUB	OR	ON
L11	1	l5 and l2 and l3 and l4 and l5 and (PMUT)	US-PGPUB	OR	ON
L12	1	l5 and l2 and l3 and l4 and l5 and (CMUT)	US-PGPUB	OR	ON
L13	0	l5 and l2 and l3 and l4 and l5 and curved near(aperture,hole,opening)	US-PGPUB	OR	ON
L14	0	l5 and l2 and l3 and l4 and l5 and curved near(aperture,hole,)	US-PGPUB	OR	ON
L15	1	l5 and l2 and l3 and l4 and l5 and curved near(aperture)	US-PGPUB	OR	ON
L16	0	l5 and l2 and l3 and l4 and l5 and curved near(hole)	US-PGPUB	OR	ON
L17	3	l3 and front near face	US-PGPUB	OR	ON
L18	1	l3 and front near face near substrate	US-PGPUB	OR	ON
L19	2	l3 and face near substrate	US-PGPUB	OR	ON
L20	2	l3 and front near substrate	US-PGPUB	OR	ON
L21	0	l1 and front near substrate	US-PGPUB	OR	ON
L22	3	l2 and front near substrate	US-PGPUB	OR	ON
L23	1	l5 and front near substrate	US-PGPUB	OR	ON
L24	0	l1 and plateaus and projecting	US-PGPUB	OR	ON
L25	1	l1 and plateaus	US-PGPUB	OR	ON
L26	2	l2 and plateaus	US-PGPUB	OR	ON
L27	1	l3 and plateaus	US-PGPUB	OR	ON
L28	4	l3 and backing	US-PGPUB	OR	ON